


# HOW TO ORDER BALL & TRUNNION VALVES



Floating Ball



Trunnion  
Available in AI= AISI 316 S/S  
(DIN 1.4401) only

## Part Number

**BVA1**

MODEL

**07M**

INLET

**07F**

OUTLET

**AI**

MATERIAL

**ZD**

Digits 13 & upwards  
insert optional extra  
suffix in alphabetical  
order, where applicable  
See-Ball valve accessories

Example shown

In line Ball Valve. 1/2" NPT.Male / Female. St-Steel. Lockable Handle with Padlock.

## Inlet & Outlet Codes

Select **M** or **F** for Male / Female

03 M or F = 1/4" NPT

04 M or F = G1/4" (BSP)

13 M or F = R1/4" (BSPT)

05 M or F = 3/8" NPT

06 M or F = G3/8" (BSP)

14 M or F = R3/8" (BSPT)

07 M or F = 1/2" NPT

08 M or F = G1/2" (BSP)

15 M or F = R1/2" (BSPT)

09 M or F = 3/4" NPT

10 M or F = G3/4" (BSP)

16 M or F = R3/4" (BSPT)

11 M or F = 1" NPT

12 M or F = G1" (BSP)

17 M or F = R1" (BSPT)

## Material Code

AI = AISI 316 S/S (DIN 1.4401)

MO = MONEL

HA = HASTELLOY C276

IL = INCONEL 625

IN = INCOLOY 825

TI = TITANIUM Gr.2

DU = DUPLEX UNS S31803

SD = SUPER DUPLEX UNS S32760

**STEWART-BUCHANAN GAUGES LTD**

Sales Office & Manufacturing Facility.

Burnside Industrial Estate, Kilsyth, Glasgow, G65 9JX, SCOTLAND

Tel:- +44 (0)1236 821533

Fax:- +44 (0)1236 824090

E-Mail:- sales@stewarts-group.com

Web Site:- www.stewarts-group.com